

## Bibliography – Ingredients-Fatigue- Peripheral neuropathy

### Ω -3 & Fatigue

1. Grosso G., et al. (2023). Omega-3 polyunsaturated fatty acids (n-3 PUFAs), somatic and fatigue symptoms in cardiovascular diseases comorbid major depressive disorder: A randomized controlled trial. *Journal of Affective Disorders*, 324, 88–96.
2. Wright S.A., et al. (2015). Placebo-controlled randomized clinical trial of fish oil's impact on fatigue, quality of life, and disease activity in systemic lupus erythematosus. *Annals of the Rheumatic Diseases*, 74(6), 1115–1122.
3. Zabetian-Targhi F., et al. (2019). The combined effect of vitamin C and omega-3 polyunsaturated fatty acids on fatigue following coronary artery bypass graft surgery: A triple-blind randomized clinical trial. *Cardiology Research and Practice*, 2019, Article ID 8314352.
4. Read J.A., et al. (2007). Eicosapentaenoic acid in the treatment of cancer cachexia: A randomized controlled trial. *Journal of Clinical Oncology*, 25(36), 5839–5845.
5. Bruera E., et al. (2003). Effects of fish oil supplementation on appetite and other symptoms in patients with advanced cancer. *Cancer*, 98(2), 345–351.
6. Calder P.C. (2017). Omega-3 fatty acids and inflammatory processes: From molecules to man. *Biochemical Society Transactions*, 45(5), 1105–1115.
7. Simopoulos A.P. (2002). Omega-3 fatty acids in inflammation and autoimmune diseases. *Journal of the American College of Nutrition*, 21(6), 495–505.
8. Van Elzaker M.B., et al. (2022). Low omega-3 index and polyunsaturated fatty acid status in patients with chronic fatigue syndrome/myalgic encephalomyelitis. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 180, 102418.
9. Oncology Nursing Society (2021). Omega-3 (Eicosapentaenoic Acid and others) and cancer-related fatigue. ONS Evidence-Based Practice Resource.

### Ινουλίνη & Fatigue

1. Slavin J. (2013). Fiber and prebiotics: Mechanisms and health benefits. *Nutrients*, 5(4), 1417–1435.
2. Roberfroid M., et al. (2010). Prebiotic effects: Metabolic and health benefits. *British Journal of Nutrition*, 104(S2), S1–S63.
3. Canfora E.E., et al. (2015). Gut microbial metabolites in obesity, NAFLD and insulin resistance. *Nature Reviews Endocrinology*, 11, 577–591.
4. Cryan J.F., Dinan T.G. (2012). Mind-altering microorganisms: The impact of the gut microbiota on brain and behaviour. *Nature Reviews Neuroscience*, 13, 701–712.
5. Moloney R.D., et al. (2016). Stress-induced visceral pain and fatigue: Role of gut microbiota. *Neurogastroenterology & Motility*, 28(8), 1204–1216.
6. Vulevic J., et al. (2013). A prebiotic reduces systemic inflammation and improves well-being in elderly subjects. *British Journal of Nutrition*, 110(5), 1–10.

### Β-Γλυκάνες & Fatigue

1. Vetvicka V., Vetvickova J. (2014). Immune-enhancing effects of β-glucans. *Annals of Translational Medicine*, 2(2), 15.
2. Talbott S.M., et al. (2013). β-Glucan supplementation reduces upper respiratory tract infection symptoms and improves mood state in stressed adults. *Journal of the American College of Nutrition*, 32(2), 90–99.
3. Nieman D.C., et al. (2008). β-Glucan supplementation lowers inflammation and improves mood states after heavy exercise. *Medicine & Science in Sports & Exercise*, 40(8), 1463–1471.
4. Volman J.J., et al. (2008). Dietary modulation of immune function by β-glucans. *Physiology & Behavior*, 94(2), 276–284.
5. Murphy E.A., et al. (2007). β-Glucan effects on immune function and fatigue following exercise stress. *Journal of Applied Physiology*, 102(6), 2045–2052.
6. Stonehouse W., et al. (2016). β-Glucan intake and well-being parameters in adults. *Nutrition Reviews*, 74(4), 199–210.

### Διαλυτή Ίνα Σίτου & Fatigue

1. Hadžić E. et al. (2023). Effects of Soluble Dietary Fibre on Exercise Performance and Perception of Fatigue.
2. Koh A. et al. (2016). Role of short-chain fatty acids in energy metabolism and fatigue-related mechanisms.
3. Slavin J. (2013). Dietary fiber and energy regulation.
4. EFSA Journal (2010–2022). Scientific opinions on wheat dextrin.

## Pea Protein & Fatigue

- 1.Feng, T., et al. (2021). Anti-fatigue effects of pea (*Pisum sativum* L.) peptides prepared by compound protease. *Journal of Food Science and Technology*. PMID: 33967323.
- 2.Nieman, D. C., et al. (2020). Effects of whey and pea protein supplementation on post-eccentric exercise muscle damage. *Nutrients*.
- 3.Loureiro, L. L., et al. (2023). Comparison of the effects of pea protein and whey protein supplementation on biochemical and metabolic parameters in soccer players. *Frontiers in Nutrition*.
- 4.Govindasamy, K., et al. (2025). Effect of plant-based proteins on recovery from resistance exercise-induced muscle damage. *Nutrients* (Systematic Review).

## L-Καρνιτίνη & Fatigue

- 1.Malaguarnera M. et al. (2007). L-Carnitine treatment reduces severity of physical and mental fatigue and increases cognitive functions in centenarians. DOI:10.1093/ajcn/86.5.1738. PMID:18065594.
- 2.Tomassini V. et al. (2004). Comparison of the effects of acetyl L-carnitine and amantadine on fatigue in multiple sclerosis.*Journal of Neurology, Neurosurgery & Psychiatry*. PMID:14759641.
- 3.Graziano F. et al. (2002). Potential role of levocarnitine supplementation for chemotherapy-induced fatigue. *Nature/Br J Cancer* (2002). DOI available in PubMed. PMID:12244040.
- 4.Cruciani R.A. et al. (2012). L-Carnitine supplementation for the management of fatigue in patients with cancer.
- 5.Marx W. et al. (2017). Efficacy and effectiveness of carnitine supplementation for cancer-related fatigue. (PMCID: PMC5707696)
- 6.Vecchio M. et al. (2021). Clinical effects of L-carnitine supplementation on physical performance and fatigue.*Review/clinical*(PMC8628984)
- 7.Stefan M. et al. (2021). L-Carnitine Tartrate Supplementation for 5 Weeks improves recovery and reduces fatigue following exercise. PMID:34684429.
- 8.Cruciani R.A. et al. (2009). Phase III randomized, placebo-controlled trial of L-carnitine in cancer patients (conference/abstract Phase III trial (ASCO abstract)).
- 9.Puya K. et al. (2020s). L-Carnitine to Reduce Chemoradiotherapy-Induced Fatigue.
- 10.Raij T. et al. (2024). Association between fatigue, peripheral serotonin, and L-carnitine in CFS and hypothyroidism.

## N-Ακετυλ-Κυστεΐνη (NAC) & Fatigue

1. NAC attenuates the decline in muscle Na<sup>+</sup>,K<sup>+</sup>-pump activity and delays fatigue during prolonged exercise in humans PubMed ID: 16840514pubmed.ncbi.nlm.nih.gov/16840514/
2. NAC-enhances muscle cysteine and glutathione availability and attenuates fatigue during prolonged exercise in endurance-trained individuals .PubMed ID: 15194675pubmed.ncbi.nlm.nih.gov/15194675/
- 3.Effects of NAC on respiratory muscle fatigue during heavy exercise pubmed.ncbi.nlm.nih.gov/18992854/
4. NAC A pilot study of oxidative pathways in MS fatigue: randomized trial of N-acetyl cysteine PubMed ID:33675156://pubmed.ncbi.nlm.nih.gov/33675156/
5. Τίτλος: Assessment of N-Acetylcysteine as Therapy for Myalgic Encephalomyelitis/Chronic Fatigue Syndrome www.ninds.nih.gov/health-information/clinical-trials/assessment-n-acetylcysteine-therapy-myalgic-encephalomyelitischronic-fatigue-syndrome

## Άλφα-Λιποϊκό Οξύ ALA & Fatigue

- 1.Barletta MA et al. (2022). Coenzyme Q10 and alpha-lipoic acid in chronic COVID syndrome: A randomized controlled study. *Journal of Translational Medicine*.
- 2.Menon R et al. (2017). Mitochondrial modifying nutrients in the treatment of chronic fatigue syndrome: A pilot study. *Journal of Translational Medicine*.
- 3.Higashikawa F et al. (2020). Oral administration of 5-aminolevulinic acid improves fatigue and mood.
- 4.Packer L et al. (1995). Alpha-lipoic acid as a biological antioxidant. *Free Radical Biology & Medicine*.
- 5.StatPearls Publishing (2024). Alpha-Lipoic Acid. NCBI Bookshelf.
- 6.Ziegler D et al. (2004). Treatment of symptomatic diabetic polyneuropathy with alpha-lipoic acid. *Diabetes Care*.

## Maize Starch & Fatigue

- 1.Chen YT et al. (1984). Cornstarch therapy in type I glycogen-storage disease. *New England Journal of Medicine*.
- 2.Roe TF et al. (1986). Treatment of glycogen storage disease with uncooked cornstarch.

Journal of Pediatrics.**3**.Correia CE et al. (2008). Use of modified cornstarch therapy to extend fasting in glycogen storage disease. American Journal of Clinical Nutrition.**4**.Bhattacharya K et al. (2007). Dietary management of glycogen storage disease: energy balance and fatigue. Journal of Inherited Metabolic Disease.**5**.Derks TGJ et al. (2013). Glycemic control and quality of life in patients using uncooked cornstarch. Molecular Genetics and Metabolism.**6**.Thomas DT et al. (2016). Position of the Academy of Nutrition and Dietetics: Nutrition and Athletic Performance.**7**.Jeukendrup AE et al. (2004). Slow-release carbohydrates and endurance performance. Sports Medicine.**9**.Zhu Y et al. (2018). Slowly digestible starch and metabolic health. Nutrition Reviews.

### **Κουρκουμίνη & Fatigue**

**1**.Panahi Y et al. (2014). Curcumin improves symptoms and quality of life in patients with inflammatory conditions: A randomized controlled trial. Phytotherapy Research.**2**.Ryan JL et al. (2013). Curcumin for cancer-related fatigue: A randomized, double-blind, placebo-controlled pilot study. Supportive Care in Cancer.**3**.Dhillon N et al. (2008). Phase II trial of curcumin in patients with advanced pancreatic cancer. Clinical Cancer Research.**4**.Belcaro G et al. (2010). Meriva® curcumin improves quality of life and fatigue in osteoarthritis patients. Alternative Medicine Review.**5**.Gupte PA et al. (2019). Effect of curcumin on fatigue and inflammatory markers in chronic inflammatory diseases. Journal of Clinical Nutrition.**6**.Daily JW et al. (2016). Efficacy of curcumin for alleviating inflammation and fatigue: A systematic review. Journal of Medicinal Food.**7**.Hewlings SJ & Kalman DS (2017). Curcumin: A review of its effects on human health. Foods.

### **Σελήνιο Se & Fatigue**

**1**. Rayman MP. Selenium and human health. Lancet. 2012. **2**. Winther KH et al. Selenium supplementation and fatigue in thyroid disease. Eur Thyroid J. 2017.**3**. Muecke R et al. Selenium in cancer patients: fatigue and quality of life. Nutrients. 2018.**4**. Hoffmann PR, Berry MJ. The influence of selenium on immune responses. Mol Nutr Food Res. 2008.

### **Ψευδάργυρος Zn & Fatigue**

**1**. Mohammadi et al., Health Science Reports, 2021.**2**. Castro-Marrero et al., Antioxidants, 2021.  
**3**. Wessels et al., Nutrients, 2017.

### **Μαγνήσιο Mg & Fatigue**

**1**.Cox IM, Campbell MJ, Dowson D (1991). Red blood cell magnesium and chronic fatigue syndrome. Randomized, double-blind, placebo-controlled trial. PubMed: 1672392**2**.Moorkens G et al. (1997). Magnesium deficit in a sample of the Belgian population presenting with chronic fatigue. PubMed: 9513929**3**.Macian et al. (2022). Short-Term Magnesium Therapy Alleviates Moderate Stress in Patients with Fibromyalgia: A Randomized Double-Blind Clinical Trial. PubMed: 35631229**4** Lancet (1991) - Magnesium and chronic fatigue. PubMed: 1676129

### **Βιταμίνες B1. B2. B3. B5.B6 . B7 B9 .B12 & Peripheral neuropathy**

**1**.Peters TJ et al. Treatment of alcoholic polyneuropathy with vitamin B complex: A randomised controlled trial. Alcohol and Alcoholism. 2006;41(6):636–642. DOI: 10.1093/alcalc/agl058  
**2**.Woelk H et al. Benfotiamine in treatment of alcoholic polyneuropathy: an 8-week randomized controlled study (BAP I). Alcohol and Alcoholism. 1998;33(6):631–638.**3**.Han X et al. Acupuncture combined with methylcobalamin for chemotherapy-induced peripheral neuropathy. BMC Cancer. 2017;17:40. DOI: 10.1186/s12885-016-3037-z **4**.Calderón-Ospina CA et al. B12 as a Treatment for Peripheral Neuropathic Pain: A Systematic Review. Nutrients. 2020;12(8):2221. DOI: 10.3390/nu12082221 **5**.Kopcke W et al. Association between neuropathy and B-vitamins: A systematic review and meta-analysis. Eur J Neurol. 2021.**6**.Liu Y et al. A systematic review on the efficacy of vitamin B supplementation on diabetic peripheral neuropathy. Nutrition Reviews. 2022;80(5):1340–1355. DOI:

10.1093/nutrit/nuab1167. Parry GJ et al. The Role of Vitamin B6 in Peripheral Neuropathy: A Systematic Review. *Nutrients*. 2023;15(13):2823. DOI: 10.3390/nu15132823

## Βιταμίνες A, D, C, E & Peripheral neuropathy

1. Shehab D, et al. Prospective Evaluation of the Effect of Short-Term Oral Vitamin D Supplementation on Peripheral Neuropathy in Type 2 Diabetes Mellitus. *Med Princ Pract*. 2015;24(3):250–256. DOI: 10.1159/000375304

2. Basit A, et al. Vitamin D for the treatment of painful diabetic neuropathy. *BMJ Open Diabetes Research & Care*. 2016;4(1):e000148. DOI: 10.1136/bmjdr-2015-000148

3. Rizos CV, et al. Effect of Vitamin E Supplementation on Diabetic Peripheral Neuropathy. *Diabetes Care*. 2014;37(10):2764–2772. DOI: 10.2337/dc14-12074. Lu R, et al. Additive antinociceptive effects of a combination of vitamin C and vitamin E in neuropathic pain. *PLoS ONE*. 2012;7(12):e29240. DOI: 10.1371/journal.pone.0029240

5. A Systematic Review on Vitamin D and Painful Diabetic Neuropathy. *Clinical Nutrition*. 2020;39(6):1539–1545. DOI: 10.1016/j.clnu.2020.01.0226. Tiwari S, et al. Vitamin D and Neuropathic Pain in Diabetic Peripheral Neuropathy. *Journal of Pain Research*. 2019;12:1863–1875. DOI: 10.2147/JPR.S1928197. Naziroğlu M. Neuroprotective Effects of Vitamin E in Neuropathic Pain Models. *Neurochemical Research*. 2021;46(11):2828–2841. DOI: 10.1007/s11064-021-03428-y

8. Maden M. Retinoic acid in the development, regeneration and maintenance of the nervous system. *Nature Reviews Neuroscience*. 2007;8(10):755–765. DOI: 10.1038/nrn2212

9. Lane MA, Bailey SJ. Role of retinoid signalling in the adult brain. *Progress in Neurobiology*. 2005;75(4):275–293. DOI: 10.1016/j.pneurobio.2005.03.002

10. Goncalves MB et al. Retinoic acid synthesis and signaling in the adult brain. *Journal of Neurochemistry*. 2008;106(2):476–488. DOI: 10.1111/j.1471-4159.2008.05376.x

11. Husson M et al. Vitamin A deficiency and nervous system function. *British Journal of Nutrition*. 2010;104(6):839–844. DOI: 10.1017/S0007114510001477

12. Bonnet E et al. Retinoic acid as a modulator of neural plasticity. *Neuroscience*. 2008;154(4):1313–1321. DOI: 10.1016/j.neuroscience.2008.

## Ca- osteoporosis

### Cranberry & urinary tract infection

1. Maki KC, Kaspar KL, Khoo C, et al. Consumption of a cranberry juice beverage lowered the number of clinical urinary tract infection episodes in women with a recent history of urinary tract infection. *American Journal of Clinical Nutrition*. 2016;103(6):1434–1442. DOI: 10.3945/ajcn.115.121053

2. Asma B, Vicky L, et al. Standardized high dose versus low dose cranberry proanthocyanidin extracts for the prevention of recurrent urinary tract infection in healthy women (PACCANN): a double-blind randomized controlled trial protocol. *BMC Urology*. 2018; 18:29. DOI: 10.1186/s12894-018-0342-7

3. Fu Z, Liska D, Talan D, Chung M. Cranberry reduces the risk of urinary tract infection recurrence in otherwise healthy women: a systematic review and meta-analysis. *Journal of Nutrition*. 2017;147(11):2282–2288. DOI: 10.3945/jn.117.25496

4. Wang CH, Fang CC, Chen NC, et al. Cranberry-containing products for prevention of urinary tract infections in susceptible populations: a systematic review and meta-analysis of randomized controlled trials. *Archives of Internal Medicine*. 2012;172(13):988–996. DOI: 10.1001/archinternmed.2012.3004

5. Jepson RG, Williams G, Craig JC. Cranberries for preventing urinary tract infections. *Cochrane Database of Systematic Reviews*. 2012;(10):CD001321. DOI: 10.1002/14651858.CD001321.pub5

6. Howell AB, Vorsa N, Der Marderosian A, Foo LY. Inhibition of the adherence of P-fimbriated *Escherichia coli* to uroepithelial-cell surfaces by proanthocyanidin extracts from cranberries. *New England Journal of Medicine*. 1998;339(15):1085–1086. DOI: 10.1056/NEJM199810083391516

7. Howell AB. Bioactive compounds in cranberries and their role in prevention of urinary tract infections. *Molecular Nutrition & Food Research*. 2007;51(6):732–737. DOI: 10.1002/mnfr.200700038

8. Howell AB, Foxman B. Cranberry juice and adhesion of antibiotic-resistant uropathogens. *JAMA*. 2002;287(23):3082–3083. DOI: 10.1001/jama.287.23.3082